

SPECIFICATIONS - ROCKET III TOURING

ENGINE AND TRANSMISSION		
Type	Liquid-cooled, DOHC, in-line 3-cylinder	
Capacity	2294cc	
Bore/Stroke	101.6 x 94.3mm	
Fuel System	Multipoint sequential electronic fuel injection with twin butterflies and progressive linkage on primary butterflies	
Exhaust	Stainless steel 3 into 1 into 2, large-volume catalysts in front of chrome-plated silencers	
Final Drive	Shaft	
Clutch	Wet, multi-plate	
Gearbox	5-speed	
Oil Capacity	5.9 litres (1.6 US gals)	
CHASSIS, RUNNING GEAR AND DISPLAYS		
Frame	Tubular steel, twin spine	
Swingarm	Twin-sided, steel (houses drive shaft)	
Wheels	Front	Cast aluminum alloy 25-spoke 16 x 3.5in
	Rear	Cast aluminum alloy 25-spoke 16 x 5.0in
Tires	Front	150/80 R16
	Rear	180/70 R16
Suspension	Front	Kayaba 43mm forks. 120mm travel fully shrouded uppers
	Rear	Kayaba chromed spring twin shocks with 5 position adjustable preload, 105mm rear wheel travel
Brakes	Front	Twin 320mm floating discs, Nissin 4-piston fixed calipers, ABS
	Rear	Single 316mm fixed disc, Brembo 2-piston floating caliper, ABS
Instrument Display/Functions	Analogue speedometer featuring analogue fuel gauge, scroll button on handlebars, LCD trip computer and clock	
DIMENSIONS AND CAPACITIES		
Length	2603mm (102.4in)	
Width	995mm (39.1in)	
Height without mirrors	1182mm (46.5in)	
Seat Height	730mm (28.7in)	
Wheelbase	1705mm (67.1in)	
Rake/Trail	32°/184mm	
Fuel Tank Capacity	22.3 litres (5.9 US gals)	
Wet Weight (ready to ride)	395kg (869lbs)	
PERFORMANCE		
(Measured at crankshaft to 95/1/EC)		
Maximum Power	106PS / 105bhp / 78kW @ 6000rpm	
Maximum Torque	203Nm / 150ft.lbs @ 2500rpm	
FUEL EFFICIENCY		
City	27 MPG	
Highway	43 MPG	